


**DIESEL ENGINE SPEED**  
**3000 r.p.m.**



**Chopper System**

### GW 10/300 SSK

Code **WE19-10TS0**

#### General features

Noise level	93 Lwa
Battery	45 Ah - 12 V
Fuel tank capacity	32 lt
Dimensions (L. x W. x H.)	1410 x 700 x 835 mm
Dry weight	500 kg

#### Welding output

Rated output at 60% duty cycle	300 A - 32 V
Range of continuous control	10 ÷ 330 A
Striking voltage	75 V
Electrodes diameter	6 mm

#### Auxiliary power

Type	ZANARDI EPW3
Single phase power	8 kVA 230 V
Three phase power	13 kVA 400 V
Frequency	50 Hz
Cosφ	0,8
Insulation class	H
Mechanical protection	IP 23

The company reserves the right to modify the technical specifications, items and design without notice.  
The images of the products are indicative for illustrative purposes only.

### Engine

Engine type	KUBOTA D1105
N° cylinders	3
Power	26 HP
Engine speed	3000 r.p.m.
Cooling	Water
Fuel	Diesel
Starting system	Electric

### Description

<ul style="list-style-type: none"> <li>- Arc force regulation</li> <li>- Overtemperature signal lamp</li> <li>- Arc force switch</li> <li>- Welding ON signal lamp</li> <li>- Welding current regulation</li> <li>- Fuel level monitor</li> <li>- Battery charger failure signal lamp</li> <li>- Low oil pressure signal lamp</li> <li>- High coolant temperature signal lamp</li> <li>- Fuel reserve signal lamp</li> <li>- Glow plug signal lamp</li> <li>- Hour counter</li> </ul>	<ul style="list-style-type: none"> <li>- Starting key</li> <li>- Emergency stop</li> <li>- Idle switch</li> <li>- Earth leakage circuit breaker</li> <li>- Welding socket: Positive pole (+)</li> <li>- Welding socket: Negative pole (-)</li> <li>- Remote control connector 32A 400V socket</li> <li>- 2x32A 230V socket</li> <li>- Remote control switch</li> <li>- Arc force regulation indicator</li> <li>- Welding current regulation indicator</li> </ul>
---	--